

IN THE UNITED STATES DISTRICT COURT
FOR THE EASTERN DISTRICT OF TEXAS

ANTHONY CAIRNS,)	
)	
Plaintiff,)	
)	CIVIL ACTION
vs.)	
)	Case No. 4:24-CV-00084
WOODMONT INVESTMENTS, LLC,)	
)	
Defendant.)	

COMPLAINT

COMES NOW, ANTHONY CAIRNS, by and through the undersigned counsel, and files this, his Complaint against Defendant, WOODMONT INVESTMENTS, LLC, pursuant to the Americans with Disabilities Act, 42 U.S.C. § 12181 *et seq.* (“ADA”) and the ADA’s Accessibility Guidelines, 28 C.F.R. Part 36 (“ADAAG”). In support thereof, Plaintiff respectfully shows this Court as follows:

JURISDICTION

1. This Court has original jurisdiction over the action pursuant to 28 U.S.C. §§ 1331 and 1343 for Plaintiff’s claims pursuant to 42 U.S.C. § 12181 *et seq.*, based upon Defendant’s failure to remove physical barriers to access and violations of Title III of the ADA.

PARTIES

2. Plaintiff, ANTHONY CAIRNS (hereinafter “Plaintiff”) is, and has been at all times relevant to the instant matter, a natural person residing in Dallas, Texas (Denton County).

3. Plaintiff is disabled as defined by the ADA.

4. Plaintiff is required to traverse in a wheelchair and is substantially limited in performing one or more major life activities, including but not limited to: walking and standing.

5. Plaintiff uses a wheelchair for mobility purposes.

6. In addition to being a customer of the public accommodation on the Property, Plaintiff is also an independent advocate for the rights of similarly situated disabled persons and is a “tester” for the purpose of enforcing Plaintiff’s civil rights, monitoring, determining and ensuring whether places of public accommodation are in compliance with the ADA. Her motivation to return to a location, in part, stems from a desire to utilize ADA litigation to make Plaintiff’s community more accessible for Plaintiff and others; and pledges to do whatever is necessary to demonstrate the plausibility of Plaintiff returning to the Property once the barriers to access identified in this Complaint are removed in order to strengthen the already existing standing to confer jurisdiction upon this Court so an injunction can be issued correcting the numerous ADA violations on this property. (“Advocacy Purposes”).

7. Defendant, WOODMONT INVESTMENTS, LLC (hereinafter “WOODMONT INVESTMENTS, LLC”), is a Texas limited liability corporation that transacts business in the State of Texas and within this judicial district.

8. Defendant, WOODMONT INVESTMENTS, LLC, may be properly served with process for service, via its Registered Agent, to wit: c/o Saleem Rajani, Registered Agent, 515 W. Main Street, Suite 10, Allen, TX 75013.

FACTUAL ALLEGATIONS

9. On or about November 4, 2023, Plaintiff was a customer at “Amores Italian Restaurant,” a business located at 297 W. Round Grove Road, Lewisville, TX 75607, referenced herein as “Amores”. Attached is a receipt documenting Plaintiff’s purchase. *See* Exhibit 1.

10. Defendant, WOODMONT INVESTMENTS, LLC, is the owner or co-owner of the real property and improvements that Amores is situated upon and that is the subject of this

action, referenced herein as the “Property.”

11. Plaintiff lives 9 miles from the Property.

12. Given the close vicinity of the Property to Plaintiff’s residence, Plaintiff is routinely travelling by the Property.

13. Plaintiff’s access to the public accommodations located 297 W. Round Grove Road, Lewisville, TX 75607, Denton County Property Appraiser’s property identification number: 121096 (“the Property”), and/or full and equal enjoyment of the goods, services, foods, drinks, facilities, privileges, advantages and/or accommodations offered therein were denied and/or limited because of his disabilities, and he will be denied and/or limited in the future unless and until Defendant, WOODMONT INVESTMENTS, LLC, is compelled to remove the physical barriers to access and correct the ADA violations that exist at the Property, including those set forth in this Complaint.

14. Defendant, WOODMONT INVESTMENTS, LLC, as property owner, is responsible for complying with the ADA for both the exterior portions and interior portions of the Property. Even if there is a lease between Defendant, WOODMONT INVESTMENTS, LLC and the tenant allocating responsibilities for ADA compliance within the unit the tenant operates, that lease is only between the property owner and the tenant and does not abrogate the Defendant’s independent requirement to comply with the ADA for the entire Property it owns, including the interior portions of the Property which are public accommodations. *See* 28 CFR § 36.201(b).

15. Plaintiff has visited the Property once before as a customer and advocate for the disabled. Plaintiff intends to revisit the Property within six months after the barriers to access detailed in this Complaint are removed and the Property is accessible again. The purpose of the

revisit is to be a return customer to Amores Italian Restaurant, Plaintiff was also interested in returning to be a customer of Jackie's Ham and Eggs Restaurant at the Property, to determine if and when the Property is made accessible and for Advocacy Purposes.

16. Plaintiff intends on revisiting the Property to purchase goods and/or services as a return customer living in the near vicinity as well as for Advocacy Purposes but does not intend to re-expose himself to the ongoing barriers to access and engage in a futile gesture of visiting the public accommodation known to Plaintiff to have numerous and continuing barriers to access.

17. Plaintiff travelled to the Property as a customer and as an independent advocate for the disabled, encountered the barriers to access the Property that are detailed in this Complaint, engaged those barriers, suffered legal harm and legal injury, and will continue to suffer such harm and injury as a result of the illegal barriers to access present at the Property.

18. Although Plaintiff did not personally encounter each and every barrier to access identified in Plaintiff's Complaint, Plaintiff became aware of all identified barriers prior to filing the Complaint and because Plaintiff intends on revisiting the Property as a customer and advocate for the disabled within six months or sooner after the barriers to access are removed, it is likely that despite not actually encountering a particular barrier to access on one visit, Plaintiff may encounter a different barrier to access identified in the complaint in a subsequent visit as, for example, one accessible parking space may not be available and he would need to use an alternative accessible parking space in the future on his subsequent visit. As such, all barriers to access identified in the Complaint must be removed in order to ensure Plaintiff will not be exposed to barriers to access and legally protected injury.

19. Plaintiff's inability to fully access the Property and the stores within in a safe manner and in a manner which inhibits the free and equal enjoyment of the goods and services offered at the Property, both now and into the foreseeable future, constitutes an injury in fact as recognized by Congress and is historically viewed by Federal Courts as an injury in fact.

COUNT I
VIOLATIONS OF THE ADA AND ADAAG

20. On July 26, 1990, Congress enacted the Americans with Disabilities Act 42 U.S.C. § 12101 *et seq.*

21. Congress found, among other things, that:

- (i) some 43,000,000 Americans have one or more physical or mental disabilities, and this number is increasing as the population as a whole is growing older;
- (ii) historically, society has tended to isolate and segregate individuals with disabilities, and, despite some improvements, such forms of discrimination against individuals with disabilities continue to be a serious and pervasive social problem;
- (iii) discrimination against individuals with disabilities persists in such critical areas as employment, housing public accommodations, education, transportation, communication, recreation, institutionalization, health services, voting, and access to public services;
- (iv) individuals with disabilities continually encounter various forms of discrimination, including outright intentional exclusion, the discriminatory effects of architectural, transportation, and communication barriers, overprotective rules and policies, failure to make modifications to existing facilities and practices, exclusionary qualification standards and criteria, segregation, and relegation to lesser service, programs, activities, benefits, jobs, or other opportunities; and
- (v) the continuing existence of unfair and unnecessary discrimination and prejudice denies people with disabilities the opportunity to compete on an equal basis and to pursue those opportunities for which our free society is justifiably famous, and costs the United States billions of dollars in unnecessary expenses resulting from dependency and non-productivity.

42 U.S.C. § 12101(a)(1) - (3), (5) and (9).

22. Congress explicitly stated that the purpose of the ADA was to:
- (i) provide a clear and comprehensive national mandate for the elimination of discrimination against individuals with disabilities;
 - (ii) provide a clear, strong, consistent, enforceable standards addressing discrimination against individuals with disabilities; and

* * * * *

- (iv) invoke the sweep of congressional authority, including the power to enforce the fourteenth amendment and to regulate commerce, in order to address the major areas of discrimination faced day-to-day by people with disabilities.

42 U.S.C. § 12101(b)(1)(2) and (4).

23. The congressional legislation provided places of public accommodation one and a half years from the enactment of the ADA to implement its requirements.

24. The effective date of Title III of the ADA was January 26, 1992 (or January 26, 1993 if a defendant has 10 or fewer employees and gross receipts of \$500,000 or less). 42 U.S.C. § 12181; 28 C.F.R. § 36.508(a).

25. The Property is a public accommodation and service establishment.

26. Pursuant to the mandates of 42 U.S.C. § 12134(a), on July 26, 1991, the Department of Justice and Office of Attorney General promulgated federal regulations to implement the requirements of the ADA. 28 C.F.R. Part 36.

27. Public accommodations were required to conform to these regulations by January 26, 1992 (or by January 26, 1993 if a defendant has 10 or fewer employees and gross receipts of \$500,000 or less). 42 U.S.C. § 12181 *et seq.*; 28 C.F.R. § 36.508(a).

28. The Property must be, but is not, in compliance with the ADA and ADAAG.

29. Plaintiff has attempted to, and has to the extent possible, accessed the Property in his capacity as a customer at the Property as well as an independent advocate for the disabled, but could not fully do so because of his disabilities resulting from the physical barriers to access, dangerous conditions and ADA violations that exist at the Property that preclude and/or limit his access to the Property and/or the goods, services, facilities, privileges, advantages and/or accommodations offered therein, including those barriers, conditions and ADA violations more specifically set forth in this Complaint.

30. Plaintiff intends to visit the Property again in the very near future as a customer and as an independent advocate for the disabled, in order to utilize all of the goods, services, facilities, privileges, advantages and/or accommodations commonly offered at the Property, but will be unable to fully do so because of his disability and the physical barriers to access, dangerous conditions and ADA violations that exist at the Property that preclude and/or limit his access to the Property and/or the goods, services, facilities, privileges, advantages and/or accommodations offered therein, including those barriers, conditions and ADA violations more specifically set forth in this Complaint.

31. Defendant, WOODMONT INVESTMENTS, LLC, has discriminated against Plaintiff (and others with disabilities) by denying his access to, and full and equal enjoyment of the goods, services, facilities, privileges, advantages and/or accommodations of the Property, as prohibited by, and by failing to remove architectural barriers as required by, 42 U.S.C. § 12182(b)(2)(A)(iv).

32. Defendant, WOODMONT INVESTMENTS, LLC, will continue to discriminate against Plaintiff and others with disabilities unless and until Defendant, WOODMONT INVESTMENTS, LLC, is compelled to remove all physical barriers that exist at the Property,

including those specifically set forth herein, and make the Property accessible to and usable by Plaintiff and other persons with disabilities.

33. A specific list of unlawful physical barriers, dangerous conditions and ADA violations which Plaintiff experienced and/or observed, or was made aware of prior to the filing of this Complaint, that precluded and/or limited Plaintiff's access to the Property and the full and equal enjoyment of the goods, services, facilities, privileges, advantages and accommodations of the Property include, but are not limited to:

ACCESSIBLE ELEMENTS:

- i. On the western side of the Property, under the Vista Ridge Chiropractic sign, the access aisle to the accessible parking space is not level due to the presence of an accessible ramp in the access aisle in violation of Section 502.4 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as the lift from the van may rest upon the ramp and create an unlevel surface.
- ii. On the western side of the Property, under the Vista Ridge Chiropractic sign, the accessible curb ramp is improperly protruding into the access aisle of the accessible parking space in violation of Section 406.5 of the 2010 ADAAG Standards. This barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as the lift from the van may rest upon the ramp and create an unlevel surface.
- iii. On the western side of the Property, under the Vista Ridge Chiropractic sign, the accessible parking space is not level due to the presence of accessible

ramp side flare in the accessible parking space in violation of Sections 502.4 and 406.5 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as the van may rest upon the ramp and create an unlevel surface for Plaintiff to exit and enter their vehicle.

- iv. Due to a policy of not having parking stops for the parking spaces directly in front of the exterior access route throughout the Property, vehicles routinely pull up all the way to the curb and the "nose" of the vehicle extends into the access route causing the exterior access route to routinely have clear widths below the minimum thirty-six (36") inch requirement specified by Section 403.5.1 of the 2010 ADAAG Standards. This barrier to access would make it dangerous and difficult for Plaintiff to access exterior public features of the Property as there is not enough clear width for Plaintiff's wheelchair.
- v. Due to a policy of not having parking stops for the parking spaces directly in front of the exterior access route throughout the Property, vehicles routinely pull up all the way to the curb and the "nose" of the vehicle extends into the access route as a result, in violation of Section 502.7 of the 2010 ADAAG Standards, parking spaces are not properly designed so that parked cars and vans cannot obstruct the required clear width of adjacent accessible routes. This barrier to access would make it dangerous and difficult for Plaintiff to access exterior public features of the Property as there is not enough clear width for Plaintiff's wheelchair.

- vi. On the southern side of the building, in front of Vista Ridge Chiropractic, the accessible parking space does not have a marked access aisle in violation of Section 502.3.3 of the 2010 ADAAG standards. This barrier to access makes it nearly impossible for an individual in a wheelchair to enter and exit their vehicle at this accessible parking space due to the close presence of parked vehicles on either side of the accessible parking space not providing enough room for the wheelchair, this eliminates the accessible route from this accessible parking space.
- vii. On the southern side of the building, in front of Vista Ridge Chiropractic, the accessible parking space is not located on the shortest distance to an accessible ramp leading to the accessible entrances in violation of Section 208.3.1 of the 2010 ADAAG Standards. This barrier to access would make it difficult and dangerous for Plaintiff to access the units of the Property from these accessible parking spaces as the far location increases the likelihood of traversing into the vehicular way and getting struck by a vehicle or encountering a barrier to access which stops Plaintiff from accessing the public accommodations offered at the Property.
- viii. In front of Unit 125, the accessible parking space does not have a marked access aisle in violation of Section 502.3.3 of the 2010 ADAAG standards. This barrier to access makes it nearly impossible for an individual in a wheelchair to enter and exit their vehicle at this accessible parking space due to the close presence of parked vehicles on either side of the accessible

parking space not providing enough room for the wheelchair, this eliminates the accessible route from this accessible parking space.

- ix. As a result of the barrier to access identified in (viii) above, this accessible parking space is not located on an accessible route in violation of Section 208.3.1 of the 2010 ADAAG standards. This barrier to access would cause difficulty for Plaintiff to exit and enter his vehicle if parked at this accessible parking space.
- x. In front of Unit 125, the accessible parking space is missing an identification sign in violation of Section 502.6 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to locate an accessible parking space.
- xi. Near Unit 125, the Property has an accessible ramp leading from the accessible parking space to the accessible entrances with a slope exceeding 1:12 in violation of Section 405.2 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access the units of the Property because when ramps are too steep (more than 1:12) it requires too much physical arm strain to wheel up the ramp and increases the likelihood of the wheelchair falling backwards and Plaintiff being injured.
- xii. Near Unit 125, the accessible ramp side flares have a slope in excess of 1:10 in violation of Section 406.3 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access the units of the Property because steep slopes on ramp side flares could cause the wheelchair to tip over and injure Plaintiff.

- xiii. In front of Unit 140, due to the placement of a shopping cart corral adjacent to a column, there are publicly accessible areas of the Property having accessible routes with clear widths below the minimum 36 (thirty-six) inch requirement as required by Section 403.5.1 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access the rest of the units of the Property as Plaintiff's wheelchair would not be able to get past this barrier.
- xiv. In front of Unit 140, due to the placement of a shopping cart corral next to a column, the Property lacks a single continuous accessible route connecting accessible facilities, accessible elements and/or accessible spaces of the Property in violation of Section 206.2.2 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access public features of the Property.
- xv. In front of Unit 140, there are two accessible parking spaces that are missing identification signs in violation of Section 502.6 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to locate an accessible parking space.
- xvi. In front of Unit 140, the Property has an accessible ramp that lacks finished edges or edge protection on both sides and/or is otherwise in violation of Section 405.9 of the 2010 ADAAG standards. This barrier to access would expose Plaintiff to increased risk of injury for if the wheelchair should fall of the side edge of the ramp, the lack of edge protection would likely cause Plaintiff to tip and incur injury.

- xvii. In front of Unit 170, the access aisle to the two accessible parking spaces is not level due to the presence of an accessible ramp in the access aisle in violation of Section 502.4 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as the lift from the van may rest upon the ramp and create an unlevel surface.
- xviii. In front of Unit 170, the accessible curb ramp is improperly protruding into the access aisle of the accessible parking spaces in violation of Section 406.5 of the 2010 ADAAG Standards. This barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as the lift from the van may rest upon the ramp and create an unlevel surface.
- xix. In front of Unit 170, the two accessible parking spaces are not level due to the presence of accessible ramp side flares in the accessible parking spaces in violation of Sections 502.4 and 406.5 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as the van may rest upon the ramp and create an unlevel surface for Plaintiff to exit and enter their vehicle.
- xx. In front of Unit 230, the accessible parking space does not have a marked access aisle in violation of Section 502.3.3 of the 2010 ADAAG standards. This barrier to access makes it nearly impossible for an individual in a wheelchair to enter and exit their vehicle at this accessible parking space due to the close presence of parked vehicles on either side of the accessible

parking space not providing enough room for the wheelchair, this eliminates the accessible route from this accessible parking space.

- xxi. In front of Unit 230, the accessible parking space is missing an identification sign in violation of Section 502.6 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to locate an accessible parking space.
- xxii. In front of Unit 230, the Property has an accessible ramp leading from the accessible parking space to the accessible entrances with a slope exceeding 1:12 in violation of Section 405.2 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access the units of the Property because when ramps are too steep (more than 1:12) it requires too much physical arm strain to wheel up the ramp and increases the likelihood of the wheelchair falling backwards and Plaintiff being injured.
- xxiii. In front of Unit 230, the ground surfaces at the base of the accessible ramp have vertical rises in excess of $\frac{1}{4}$ (one quarter) inch in height, are not stable or slip resistant, have broken or unstable surfaces or otherwise fail to comply with Sections 302, 303 and 405.4 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access the units of the Property as Plaintiff's wheel could get snagged on the vertical rise and cause the wheelchair to tip.
- xxiv. In front of the Enlightenment Academy, the access aisle to the two accessible parking spaces is not level due to the presence of an accessible ramp in the access aisle in violation of Section 502.4 of the 2010 ADAAG standards. This

barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as the lift from the van may rest upon the ramp and create an unlevel surface.

- xxv. In front of the Enlightenment Academy, the accessible curb ramp is improperly protruding into the access aisle of the accessible parking spaces in violation of Section 406.5 of the 2010 ADAAG Standards. This barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as the lift from the van may rest upon the ramp and create an unlevel surface.
- xxvi. In front of the Enlightenment Academy, the two accessible parking spaces are not level due to the presence of an accessible ramp in the accessible parking spaces in violation of Section 502.4 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to exit and enter their vehicle while parked at the Property as the van may rest upon the ramp and create an unlevel surface for Plaintiff to exit and enter their vehicle. Moreover, when the vehicle parks in this space, the vehicle blocks the accessible route to the ramp.
- xxvii. In front of the Enlightenment Academy, the accessible curb ramp is improperly protruding into the two accessible parking spaces in violation of Section 406.5 of the 2010 ADAAG Standards. This barrier to access would make it difficult and dangerous for Plaintiff to exit/enter their vehicle.
- xxviii. In front of Unit 240, the Property has an accessible ramp leading from the accessible parking space to the accessible entrances with a slope exceeding

1:12 in violation of Section 405.2 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access the units of the Property because when ramps are too steep (more than 1:12) it requires too much physical arm strain to wheel up the ramp and increases the likelihood of the wheelchair falling backwards and Plaintiff being injured.

xxix. In front of Unit 240, there are vertical rises at the base of the accessible ramp that is are excess of a $\frac{1}{4}$ of an inch, in violation of Sections 303.2 and 405.4 of the 2010 ADAAG standards. This barrier to access would make it dangerous and difficult for Plaintiff to access public features of the Property when using this accessible ramp as vertical rises on ramps are particularly dangerous as the surface of the ramp is already at a significant slope which increases the likelihood of the wheelchair to tip over due to the vertical rise.

xxx. Defendant fails to adhere to a policy, practice and procedure to ensure that all facilities are readily accessible to and usable by disabled individuals.

AMORES ITALIAN RESTAURANT RESTROOMS

xxxi. The hand operated flush control is not located on the open side of the accessible toilet in violation of Section 604.6 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to flush the toilet as the location of the flush control on the open side is significantly easier to reach than when it is positioned on the closed side.

xxxii. The restrooms have grab bars adjacent to the commode which are not in compliance with Section 604.5 of the 2010 ADAAG standards as the rear bar

is not 36 inches in length. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to safely transfer from the wheelchair to the toilet and back to the wheelchair.

xxxiii. The restrooms have grab bars adjacent to the commode which are not in compliance with Section 604.5.2 of the 2010 ADAAG standards as the rear bar does not properly extend at least 24 inches from the centerline of the toilet. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to safely transfer from the wheelchair to the toilet and back to the wheelchair.

xxxiv. The distance of the centerline of the toilet is more than 18" from the side wall. As a result, the toilet is not adequately positioned from the side wall or partition positioning in violation of 604.2 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to safely utilize the restroom facilities.

xxxv. The door hardware providing access to the restrooms requires tight grasping and twisting of the wrist in violation of Section 404.2.7 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to utilize the restroom facilities.

xxxvi. The lavatories and/or sinks in the restrooms have exposed pipes and surfaces and are not insulated or configured to protect against contact in violation of Section 606.5 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to safely utilize the sink as the pipes underneath the sink typically have sharp surfaces and/or

hot pipes, and since individuals in wheelchairs use a sink while seated, their legs are particularly vulnerable to these threats.

xxxvii. The height of the bottom edge of the reflective surface of the mirror in the bathroom is above the 40-inch maximum height permitted by Section 603.3 of the 2010 ADAAG standards. This barrier to access would make it difficult for the Plaintiff and/or any disabled individual to properly utilize the mirror in the restroom since Plaintiff is sitting in a wheelchair and is lower than a person standing up.

xxxviii. The soap dispenser in the restroom is located higher than 48 inches above the finished floor which is outside the prescribed vertical reach ranges set forth in Section 308.2.1 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to reach the actionable mechanism of the soap dispenser as individuals in wheelchairs are seated and have significantly less reach range than individuals who stand up.

xxxix. The restroom lacks signage in compliance with Sections 216.8 and 703 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to locate accessible restroom facilities.

34. The violations enumerated above may not be a complete list of the barriers, conditions or violations encountered by Plaintiff and/or which exist at the Property.

35. Plaintiff requires an inspection of the Property in order to determine all of the discriminatory conditions present at the Property in violation of the ADA.

36. The removal of the physical barriers, dangerous conditions and ADA violations alleged herein is readily achievable and can be accomplished and carried out without significant

difficulty or expense. 42 U.S.C. § 12182(b)(2)(A)(iv); 42 U.S.C. § 12181(9); 28 C.F.R. § 36.304.

37. All of the violations alleged herein are readily achievable to modify to the Property into compliance with the ADA.

38. Upon information and good faith belief, the removal of the physical barriers and dangerous conditions present at the Property is readily achievable because the nature and cost of the modifications are relatively low.

39. Upon information and good faith belief, the removal of the physical barriers and dangerous conditions present at the Property is readily achievable because Defendant, WOODMONT INVESTMENTS, LLC, has the financial resources to make the necessary modifications. According to the Property Appraiser, the collective Appraised value of the Property is \$5,706,088.00.

40. The removal of the physical barriers and dangerous conditions present at the Property is also readily achievable because Defendant has available to it a \$5,000.00 tax credit and up to a \$15,000.00 tax deduction from the IRS for spending money on accessibility modifications.

41. Upon information and good faith belief, the Property has been altered since 2010.

42. In instances where the 2010 ADAAG standards do not apply, the 1991 ADAAG standards apply, and all of the alleged violations set forth herein can be modified to comply with the 1991 ADAAG standards.

43. Plaintiff is without adequate remedy at law, is suffering irreparable harm, and reasonably anticipates that he will continue to suffer irreparable harm unless and until Defendant, WOODMONT INVESTMENTS, LLC, is required to remove the physical barriers, dangerous conditions and ADA violations that exist at the Property, including those alleged herein.

44. Plaintiff's requested relief serves the public interest.

45. The benefit to Plaintiff and the public of the relief outweighs any resulting detriment to Defendant, WOODMONT INVESTMENTS, LLC

46. Plaintiff's counsel is entitled to recover its reasonable attorney's fees and costs of litigation from Defendant, WOODMONT INVESTMENTS, LLC, pursuant to 42 U.S.C. §§ 12188 and 12205.

47. Pursuant to 42 U.S.C. § 12188(a), this Court is provided authority to grant injunctive relief to Plaintiff, including the issuance of an Order directing Defendant, WOODMONT INVESTMENTS, LLC, to modify the Property to the extent required by the ADA.

WHEREFORE, Plaintiff prays as follows:

- (a) That the Court find Defendant, WOODMONT INVESTMENTS, LLC, in violation of the ADA and ADAAG;
- (b) That the Court issue a permanent injunction enjoining Defendant, WOODMONT INVESTMENTS, LLC, from continuing their discriminatory practices;
- (c) That the Court issue an Order requiring Defendant, WOODMONT INVESTMENTS, LLC to (i) remove the physical barriers to access and (ii) alter the Property to make it readily accessible to and useable by individuals with disabilities to the extent required by the ADA;
- (d) That the Court award Plaintiff his reasonable attorneys' fees, litigation expenses and costs; and

- (e) That the Court grant such further relief as deemed just and equitable in light of the circumstances.

Dated: January 27, 2024

Respectfully submitted,

/s/ Douglas S. Schapiro

Douglas S. Schapiro, Esq.

Southern District of Texas ID No. 3182479

The Schapiro Law Group, P.L

7301-A W. Palmetto Park Rd., #100A

Boca Raton, FL 33433

Tel: (561) 807-7388

Email: schapiro@schapirolawgroup.com